

57637.1362.ST25.txt  
SEQUENCE LISTING

<110> Tweedle, et al.  
<120> New Compounds Useful as Metal Chelators  
<130> 57637-1362  
<150> PCT/US2004/042710  
<151> 2004-12-20  
<160> 4  
<170> PatentIn version 3.3  
<210> 1  
<211> 6  
<212> PRT  
<213> Artificial  
<220>  
<223> Description of Artificial Sequence: analogs of somatostatin  
  
<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> NaI  
  
<220>  
<221> MOD\_RES  
<222> (3)..(3)  
<223> DTrp  
  
<220>  
<221> MOD\_RES  
<222> (6)..(6)  
<223> NH2  
  
<400> 1  
Cys Thr Lys Val Cys Thr  
1 5

<210> 2  
<211> 6  
<212> PRT  
<213> Artificial  
<220>  
<223> Description of Artificial Sequence: analogs of somatostatin  
  
<220>  
<221> MOD\_RES  
<222> (1)..(1)  
<223> NaI  
  
<220>  
<221> MOD\_RES  
<222> (3)..(3)  
<223> DTrp

<220>  
 <221> MOD\_RES  
 <222> (6)..(6)  
 <223> o1

<400> 2

Cys Thr Lys Val Cys Thr  
 1 5

<210> 3  
 <211> 6  
 <212> PRT  
 <213> Artificial

<220>  
 <223> Description of Artificial Sequence: analogs of somatostatin

<220>  
 <221> MOD\_RES  
 <222> (1)..(1)  
 <223> DPhe

<220>  
 <221> MOD\_RES  
 <222> (3)..(3)  
 <223> DTrp

<220>  
 <221> MOD\_RES  
 <222> (6)..(6)  
 <223> OH

<400> 3

Cys Tyr Lys Thr Cys Thr  
 1 5

<210> 4  
 <211> 9  
 <212> PRT  
 <213> Artificial

<220>  
 <223> Description of Artificial Sequence: LHRH analog

<220>  
 <221> MOD\_RES  
 <222> (1)..(1)  
 <223> pyroGlutamic acid

<220>  
 <221> MOD\_RES  
 <222> (4)..(4)  
 <223> Xaa=Ser, NMeSer or Thr

<220>  
 <221> MOD\_RES

<222> (5)..(5)  
<223> DLys

<220>  
<221> MOD\_RES  
<222> (6)..(6)  
<223> Xaa=Leu, NMeLeu, t-ButylGly

<220>  
<221> MOD\_RES  
<222> (7)..(7)  
<223> Xaa=Arg, Arg(Et2), Cit, Lys(isopropyl)

<220>  
<221> MOD\_RES  
<222> (9)..(9)  
<223> Xaa=Gly-NH2, NHEthyl, Azagly-NH2

<400> 4

Glu His Trp Xaa Tyr Xaa Xaa Pro Xaa  
1 5